



LUBRICANTS



FortproUSA#: 77-4256

Description: ENGINE OIL HDX 15W-40 (20 LT)

Product Data Sheet: ENGINE OIL HDX 15W-40 is an extra high performance universal engine oil designed for high load-ed diesel

engines in light- and heavy commercial vehicles working under severe operating conditions through the whole year for use in Euro-3, Euro-4 and Euro-5 engines equipped with EGR and/or SCR. This product is not suitable for vehicles equipped with DPF filters.

ENGINE OIL HDX 15W-40 is formulated with high refined solvent mineral stock in combination with a special additive package to reach the following properties:

- Excellent thermal- and oxidation stability.
- Very good dispersancy and detergency.
- High anti-foam, anti-wear and anti-corrosion properties.
- Excellent protection against Bore Polishing.
- Extended drain intervals.



LUBRICANTS



FortproUSA#: 77-4251

Description: ENGINE OIL SHPD 15W-40 SINTETIC (20 LT)

Product Data Sheet: ENGINE OIL SHPD 15W-40 is a fuel saving MID SAPS super high performance universal oil based on 100%

synthetic technology designed for high loaded diesel engines in light- and heavy commercial vehicles working under severe operating conditions through the whole year for use in Euro-4, Euro-5 and Euro-6 engines equipped with a Diesel Particle Filter (DPF) and suited for diesel engines equipped with EGR and/or SCR after treatment system. ENGINE OIL SHPD 15W-40 is formulated with high refined base stock in combination with an unique additive package to reach the following properties:

- Excellent thermal- and oxidation stability.
- Very good dispersancy and detergency.
- High anti-foam, anti-wear and anti-corrosion properties.
- Excellent protection against "Bore Polishing".
- Extended drain intervals.
- Complies with strictest European emission regulation.



LUBRICANTS



FortproUSA#: 77-4248

Description: ENGINE OIL HDX 20W-50 (20 LT)

Product Data Sheet: ENGINE OIL HDX 20W-50 is an extra high performance universal engine oil designed for high loaded diesel engines

in light- and heavy commercial vehicles working under severe operating conditions through the whole year for use in Euro-3, Euro-4 and Euro-5 engines equipped with EGR and/or SCR. This product is not suitable for vehicles equipped with DPF filters.

ENGINE OIL HDX 20W-50 is formulated with high refined solvent mineral stock in combination with a special additive package to reach the following properties:

- Excellent thermal- and oxidation stability.
- Very good dispersancy and detergency.
- High anti-foam, anti-wear and anti-corrosion properties.
- Excellent protection against Bore Polishing.
- Extended drain intervals.

