

Drive Line & Suspension Components




Bearing Plate Style



* Hardware Included.				
FortProUSA#	Replaces	Series	L x D	
F276112	5-279X	1610	5.312" x 1.875"	
F276113	5-280X	1710	6.094" x 1.938"	
F276117	5-407X	1760	7.000" x 1.938"	
F276114	5-281X	1810	7.547" x 1.938"	

Half Round Style



* Hardware Included.

FortProUSA#	Replaces	Series	L x D
F276122	5-674X, 5-438X	1610	5.312" x 1.875"
F276120	5-515X	1710	6.094" x 1.938"
F276126	5-675X, 5-515X	1710	6.094" x 1.938"
F276118	5-469X	1760	7.000" x 1.938"
F276125	5-677X, 5-469X	1760	7.000" x 1.938"
F276119	5-510X	1810	7.547" x 1.938"
F276124	5-676X, 5-510X	1810	7.547" x 1.938"








* Hardware Included.

FortProUSA#	Replaces	Series	L x D x C
F276115	5-324X	1810	7.547" x 2.812" x 1.938"
F276116	5-326X	1880	8.094" x 2.812" x 2.188"

Wing Bearing Style




* Hardware Included.

FortProUSA#	Replaces	Series	L x D
F276121	5-6106X	6C / 62N	5.531" x 1.688"
F276123	5-9016X, 5-9001X	9C / 92N	8.250" x 2.812"

RA



Outside Snap Ring Style



* Hardware Included.

FortProUSA#	Replaces	Series	L x D
F276129	5-153X	1310	3.219" x 1.062"
F276105	5-160X	1410	4.188" x 1.188"
F276110	5-155X	1550	4.964" x 1.375"

Inside Snap Ring Style



* Hardware Included.

FortProUSA#	Replaces	Series	L x D
F276111	5-170X, 5-103X	1000	2.080" x 0.938"





SPL Type



* Hardware Included.

FortProUSA#	Replaces	Series	L x D
F276106	SPL90X	SPL	4.960" x 1.625"
F276107	SPL140X	SPL	5.461" x 1.937"
F276108	SPL170X	SPL	6.465" x 2.165"
F276109	SPL250X	SPL	6.417" x 2.362"





* Hardware Included.

FortProUSA#	Replaces	Series	L x D
F276127	CP20RPL-1	RPL	6.88" x 2.81"
F276128	CP25RPL-1	RPL	8.20" x 2.81"

243



UNIVERSAL JOINTS HARDWARE



FortProUSA#	Replaces	Notes	
F276201	37038X	Kit Strap 1480 / 1550 Series	
F276202	57028X	Kit Strap 1610 Series	
F276203	657018X	Kit Strap 1710 / 1760 / 1810 Series	
F276204	170-70-18X	Kit Retainer SPL170	
F276205	250-70-18X	Kit Retainer SPL250	
F276206	98741	Lock Plates used on 5-279X	
F276207	48RU1903	Lock Plates used on 5-280X & 5-281X	













F**ort**pro



FortProUSA#	Replaces	Series	Spline Size
F276060	6 - 4 - 6921X	1710	2.500" - 10
F276061	6 - 4 - 6931X	1710	2.750" - 10
F276062	6.5 - 4 - 3561X	1810	2.750" - 10
F276063	6.5 - 4 - 3551X	1810	2.500" - 10
F276066	6.5 - 4 -3251	1810	2.374" - 46
F276067	6.3 - 4 - 781 - 1X	1760 EZ	2.500" - 10
F276068	6 - 4 - 5841	1710	2.375" - 46
F276069	6 - 4 - 4421	1710	2.500" - 10
F276070	6-4-3791	1710	2.031" - 10
F276071	6 - 4 - 5851	1710	2.024" - 39
F276072	6.5 - 4 - 1891	1710	2.351" - 16
F276073	6 - 4 - 4601	1710	2.344" - 16

Slip Yokes



FortProUSA#	Replaces	Series	Spline Size
F276079	4 - 3 - 1241KX	1550	1-3/4" - 16
F276080	6 - 3 - 2651	1710	2-1/2" - 16
F276081	6.3 - 3 - 41KX	1760	2-1/2" - 16
F276082	6.5-3-1371X	1810	3" - 16





Splined Stub Ends and Yoke Shafts



FortProUSA#	Replaces	Series	Spline Length	Tube Size
F276086	6 - 40 - 521	1710 / 1760	2-1/2 - 16 x 4"	4" x 0.134"
F276087	6.5 - 40 - 191	1810	3 - 16 x 4-1/2"	4-1/2" x 0.134"
F276090	6 - 53 - 201	1710	1-61/64 - 10 x 1-7/8"	4" x 0.134"
F276091	6.5 - 53 - 91	1810	2-11/32" - 16 x 2-5/8"	4-1/2" x 0.134"
F276092	6 - 53 - 311	1710	2-23/64 - 16 x 2-5/8"	4" x 0.134"





FortProUSA#	Replaces	Series	Tubing Diameter and Wall
F276095	5 - 28 - 627	5 - 28 - 627 1610 3-1/2" - 0.	
F276096	6 - 28 - 347	1710	4" - 0.134"
F276097	6.3 - 28 - 17	1760	4" - 0.134"
F276098	6.5 - 28 - 117	1810	4-1/2" - 0.134"

Driveline Tubes

FortProUSA#	Description	Length	
F276056	4" O.D. x 0.134" Wall	108"	
F276057	4.095" O.D. x 0.180" Wall	108"	







BEARINGS



FortProUSA#	Replaces	Description
F276175	Set 68 (497 / 493)	Cone / Cup Set
F276150	497	Cone
F276151	493	Сир
F276152	Set 401(580 / 572)	Cone / Cup Set
F276153	580	Cone
F276154	572	Сир
F276155	Set 402 (582 / 572)	Cone / Cup Set
F276156	582	Cone
F276157	Set 403 (594A / 592A)	Cone / Cup Set
F276148	594A	Cone
F276130	592A	Сир
F276158	Set 404 (598A / 592A)	Cone / Cup Set
F276159	598A	Cone
F276160	Set 405 (663 / 653)	Cone / Cup Set
F276133	663	Cone
F276132	653	Сир
F276161	Set 406 (3782 / 3720)	Cone / Cup Set
F276162	3782	Cone
F276163	3720	Сир
F276164	Set 407 (28682 / 28622)	Cone / Cup Set
F276165	28682	Cone
F276166	28622	Cup
F276167	Set 408 (39590 / 39520)	Cone / Cup Set
F276168	39590	Cone
F276169	39520	Cup
F276170	Set 409 (45280 / 45220)	Cone / Cup Set
F276171	45280	Cone
F276172	45220	Cup
F276173	Set 410 (45284 / 45220)	Cone / Cup Set
F276174	45284	Cone
F276176	Set 411 (47686 / 47620)	Cone / Cup Set
F276177	47686	Cone
F276178	47620	Cup
F276131	593	Cone
F276134	665A	Cone
F276179	Set 412 (HM212047 / HM212011)	Cone / Cup Set
F276271	HM212047	Cone

249



BEARINGS



FortProUSA#	Replaces	Description
F276135	HM212011	Сир
F276149	Set 413 (HM212049 / HM212011)	Cone / Cup Set
F276136	HM212049	Cone
F276272	Set 414 (HM218248 / HM218210)	Cone / Cup Set
F276138	HM218248	Cone
F276137	HM218210	Сир
F276273	Set 415 (HM518445 / HM518410)	Cone / Cup Set
F276140	HM518445	Cone
F276139	HM518410	Сир
F276274	Set 420 (HM715345 / H715311)	Cone / Cup Set
F276275	H715345	Cone
F276276	H715311	Cup
F276277	Set 421 (HM516449A / HM516410)	Cone / Cup Set
F276278	HM516449A	Cone
F276279	HM516410	Сир
F276280	Set 422 (HM516449C / HM516410)	Cone / Cup Set
F276281	HM516449C	Cone
F276282	Set 423 (6461A / 6420)	Cone / Cup Set
F276283	6461A	Cone
F276284	6420	Cup
F276285	Set 424 (555-S / 552A)	Cone / Cup Set
F276286	555-S	Cone
F276287	552A	Cup
F276288	Set 425 (567 / 563)	Cone / Cup Set
F276289	567	Cone
F276290	563	Cup
F276291	Set 426 (47679 / 47620)	Cone / Cup Set
F276292	47679	Cone
F276145	740 / 742	Cone / Cup Set
F276141	740	Cone
F276142	742	Cup
F276146	759 / 752	Cone / Cup Set
F276143	759	Cone
F276144	752	Cup
F276147	6306 - 2RSNR	Bearing, Pilot

250



OIL SEALS



FortProUSA#	Replaces	Description
F276225	370001A / 32QJ19301 / 359917C91	Oil Seal
F276226	370003A / 32QJ19353	Oil Seal
F276227	370005A	Oil Seal
F276228	370019A / 88AX427 / 296394C91	Oil Seal
F276237	370021A	Oil Seal
F276229	370022A / 88AX467 / 1676354C1	Oil Seal
F276230	370023 / 88AX439 / 1654330C1	Oil Seal
F276231	370025A	Oil Seal
F276232	370028A / 88AX378 / 111908R91	Oil Seal
F276233	370031A / 88AX418	Oil Seal
F276238	370036A	Oil Seal
F276239	370037A	Oil Seal
F276234	370048A / 88AX469	Oil Seal
F276235	370065A	Oil Seal
F276236	370069A / 88AX424	Oil Seal
F276220	32QJ225 / 370033A / 320-2039	Oil Seal
F276222	6638 - S	Oil Seal
F276240	25024	Oil Seal
F276243	370124A	Oil Seal
F276244	370131A	Oil Seal
F276245	370150A	Oil Seal
F276246	376590A	Oil Seal
F276223	Seal Front Axle Isuzu	Oil Seal
F276224	0962559 / GM-97715989	Rear Axle Isuzu
F276221	370031 / Kit Seal & Wear Ring	Oil Seal
F174055	88AX449 Seal Trunnion	44,000 Lbs
F174065	88AX253 Seal Trunnion	55,000 Lbs

251



OIL SEALS



FortProUSA#	Replaces	Description
F276208	416414 / 415991 / 415146N / 88AX440P4 / 478864C1	Oil Seal
F276209	415322N / 417484 / 88AX319P2	Oil Seal
F276210	415272N / 88AX354P2	Oil Seal
F276216	455018 / 88AX248BP2	Oil Seal
F276217	415156N / 88AX361P2	Oil Seal
F010045	415563 / 446GC316 (E6)	Front Oil Seal
F010047	2297V / 446GC238B (E7)	Rear Oil Seal
F010048	5645 / 57GC186A (E6)	Rear Oil Seal
F020440	3006736 / 39703 (855, N14)	Front Oil Seal
F020441	3006737 (855, N14)	Rear Oil Seal
F020442	3004316 (855, N14)	Front Oil Seal
F020620	3904353 (4B)	Front Oil Seal
F020621	3909410 (4B, 6B, 6C, ISC, ISB)	Rear Oil Seal
F020622	3353977 (6C & ISC)	Front Oil Seal
F112850	415983N / 19109 / 596144C2	Oil Seal
F123220	2822V / 88AX454 / 88AX400	Oil Seal
F123221	415027N / 88AX391P2 / 478867C1	Oil Seal
F224836	1233	Oil Seal
F224837	7603	Oil Seal
F276240	25024	Seal Grease A26
F276241	H802	Seal Grease A21
F276242	H801	Seal Grease A17








253

























WHEEL CLAMPS



FortProUSA#	# Replaces Height (A)		Width (B)	Reach (C)	
F286634	E5040A	2 1/2"	2 7/8"	1 1/2"	
F286635	E5572A	2 1/2"	2 7/8"	1 3/4"	
F286641	E5783 15QJ223BP6	2 7/16"	2 1/2"	2 3/8"	



FortProUSA#	Replaces	Height Width (A) (B)		Reach (C)	
F286636	E5890	2 1/8" 2"		1/2"	
F286637	E5891	2 1/4"	2"	3/4"	



FortProUSA#	Replaces	Height (A)	Width (B)	Reach (C)	
F286638	E5902	3 5/8"	2 1/2"	1/2"	
F286639	E9024	2 3/4"	2 5/8"	11/32"	
F286640	E6053 15QJ251	2 5/8"	2 5/8" 2 1/2"		

257



WHEEL CLAMPS



FortProUSA#	Replaces	Height Width (A) (B)		Reach (C)
F286642	E5883, 15QJ16P3	2 1/2"	6"	1 5/16"
F286643	E5829	2 1/2"	6 5/8"	1 7/16"

WHEEL NUTS



FortProUSA#	Replaces	Thread Hex		High	
F286651	E4963	3/4" - 10 1 1/4"		23/32"	
F286663L	E5652L	3/4" - 16 1 1/2"		7/8"	
F286663R	E5652R	3/4" - 16	3/4" - 16 1 1/2"		
F286664L	E5977L	1 1/8" - 16 1 1/2"		7/8"	
F286664R	E5977R	1 1/8" - 16	1 1/2"	7/8"	
F286669	E6000A	M22 x 1.5 33 MM		31 MM	





WHEEL STUDS















FortProUSA#	Replaces	Body Dia	Overall Length	Body Length	Thread Length	Serration Length	Thread Size	Note
F286674	4956A	N/A	3"	3"	1" - 1 3/4"	N/A	3/4" - 10	Spoke Wheel Stud
F286677L	E5982L	1.22"	3 3/4"	1 1/4"	2 1/4"	9/16"	1 1/8" - 16	Steer Axle
F286677R	E5982R	1.22"	3 3/4"	1 1/4"	2 1/4"	9/16"	1 1/8" -16	Steer Axle
F286678L	E4967L	0.785	2 7/8"	1 1/2"	1 1/4"	1/2"	3/4" -16	Serrated Drive
F286678R	E4967R	0.785	2 7/8"	1 1/2"	1 1/4"	1/2"	3/4" - 16	Serrated Drive
F286679L	E4968L	0.785	2 7/8"	1 1/2"	1 1/4"	1/2"	3/4" -16	Drum Shoulder
F286679R	E4968R	0.785	2 7/8"	1 1/2"	1 1/4"	1/2"	3/4" - 16	Drum Shoulder
F286680L	E5896L	0.975	3 3/8"	1 3/8"	1 1/4"	1"	3/4" - 16	Serrated Drive
F286680R	E5896R	0.975	3 3/8"	1 3/8"	1 1/4"	1"	3/4" - 16	Serrated Drive
F286681L	E8947L	0.785	2 31/32"	1 3/8"	1 1/16"	1/2"	3/4" - 16	Serrated Drive
F286681R	E8947R	0.785	2 31/32"	1 3/8"	1 1/16"	1/2"	3/4" -16	Serrated Drive
F286682L	E8949L	0.900	2 5/8"	1"	1 1/2"	7/16"	3/4" - 16	Serrated Drive
F286682R	E8949R	0.900	2 5/8"	1"	1 1/2"	7/16"	3/4" - 16	Serrated Drive
F286683L	E8969L	0.785	2 15/16"	1 5/16"	1 13/32"	1/2"	3/4" -16	Serrated Drive
F286683R	E8969R	0.785	2 15/16"	1 5/16"	1 13/32"	1/2"	3/4" - 16	Serrated Drive
F286684L	E8979L	0.785	3 11/32"	1 9/32"	1 27/32"	1/2"	3/4" - 16	Serrated Drive
F286684R	E8979R	0.785	3 11/32"	1 9/32"	1 27/32"	1/2"	3/4" -16	Serrated Drive
F286685L	E9010L	0.975	2 27/32"	13/16"	1 1/8"	1/2"	3/4" -16	Serrated Drive
F286685R	E9010R	0.975	2 27/32"	13/16"	1 1/8"	1/2"	3/4" - 16	Serrated Drive
F286686	E5997	0.900	3 21/32	7/8"	2 7/16"	13/32"	M22 x 1.5	Serrated Drive Metric
F286687	E6034	0.975	4 25/32"	23/32"	3 17/32"	3/8"	M22 x 1.5	Serrated Drive Metric
F286688	E6035	0.975	3 15/16"	23/32"	2 11/16"	3/8"	M22 x 1.5	Serrated Drive Metric
F286689	E8980	0.975	5 3/32"	7/8"	3 3/4"	1/2"	M22 x 1.5	Serrated Drive Metric
F286690	E8981	0.975	4"	7/8"	2 29/32"	1/2"	M22 x 1.5	Serrated Drive Metric
F286691	E10219	0.910	4 15/32"	1 9/16"	2 9/16"	1/2"	M22 x 1.5	Serrated Drive Metric
F286692	E10221	0.910	5 11/16"	1 9/16"	3 7/16"	1/2"	M22 x 1.5	Serrated Drive Metric
F286693	E10676	0.975	4 1/4"	7/16"	3 1/4"	1/2"	M22 x 1.5	Serrated Drive Metric
F286694	E8986	1.22"	4.52"	1.00"	2.63"	0.44"	M22 X 1.5	Serrated Drive Metric





INNER CAP NUTS



FortProUSA#	Replaces	Overral Length	Thread O.D.	Thread O.D.	Thread I.D.	Inner Thread Depth
F286653L	E7895L	2 1/4"	1 1/8" - 16	3/4" 16	3/4" - 16	1 1/4"
F286653R	E7895R	2 1/4"	1 1/8" - 16	3/4" 16	3/4" - 16	1 1/4"
F286654L	E7896L	2 9/16"	1 1/8" - 16	3/4" 16	3/4" - 16	1 1/4"
F286654R	E7896R	2 9/16"	1 1/8" - 16	3/4" 16	3/4" - 16	1 1/4"
F286655L	E7897L	3 1/16"	1 1/8" - 16	3/4" 16	3/4" - 16	1 7/8"
F286655R	E7897R	3 1/16"	1 1/8" - 16	3/4" 16	3/4" - 16	1 7/8"
F286656L	E5978L	3 1/16"	1 1/8" - 16	3/4" 16	3/4" - 16	1 15/16"
F286656R	E5978R	3 1/16"	1 1/8" - 16	3/4" 16	3/4" - 16	1 15/16"
F286657L	E5988L	3 1/16"	1 1/8" - 16	3/4" 16	3/4" - 16	1 7/8"
F286657R	E5988R	3 1/16"	1 1/8" - 16	3/4" 16	3/4" - 16	1 7/8"

ALUMINUM WHEELS



FortProUSA# Size		Bolt Hole (mm)			Hub		Offset (mm)	
		PCD	No	Dia	Dia	Thic	Outset	Insert
F286440	22.5" x 8.25"	285.75	10	26.00	220.10	23.00	165	-



260



WHEELS

Tubeless Steel Wheel



FortProUSA#	Whee	els Size	Hand	Bol	t	PCD	PCD	Center		Offset	Hub	Туре
	Rim	Rim Width	Holes	Number	Dia		Bore		Flange			
F286431	22.5"	8.25"	10	10	1.02"	11.25"	8.66"	6.65"	14.17"	American		
F286432	22.5"	9"	10	10	1.02"	11.25"	8.66"	6.65"	14.17"	American		
F286433	24.5"	8.25"	5	10	1.02"	11.25"	8.66"	6.65"	14.17"	American		
F286434	22.5"	8.25"	10	10	1.02"	13.19"	6.65"	6.65"	14.17"	European		

Demountable Rim




FortProUSA#	Whee	Is Size	Offset	Hub Flange	
	Rim	Rim Width			
F286430	22.5"	8.25"	4.72"	14.17"	

261





LANDING GEAR - 5TH WHEELS & PARTS







5th WHEELS AND PARTS





263





FortProUSA#	Replaces	Application	Notes
F265830	301SQ46B	Mack	R & RD
F265831	301SQ47E	Mack	R & RD
F265832	301SQ47CP1	Mack	R & RD
F265833	R200195, KB823	Mack	R & RD
F265834	R200198, KB547	Mack, Freightliner, Inter, Kenworth	
F265837	R200071, 301SQ52A	Mack	DM
F265838	301SQ53	Mack	Granite
F265842	K591B, KB846	Kenworth, Peterbilt, Mack, GMC, Ford	
F265843	R200281, KB850	Freightliner, Kenworth, Peterbilt, Inter, White	
F265844	R201419, KB826	Eaton, Freightliner, Kenworth, International	
F265846	KB325, 399942C93	International	
F265847	KB852	Kodiak	
F265848	KB477AR	Ford, International	







FortProUSA#	Replaces	Application	Notes
F265858	ES423L, R230068	Mack, Inter	L
F265859	ES423R, R230069	Mack, Inter	R
F265860	ES187R, 10QH248	Mack	R
F265861	ES187L, 10QH248P2	Mack	L
F265862	ES431R, 10QH248P3	Mack	R
F265863	ES431L, 10QH248P4	Mack	L
F265864	ES2091R, 10QH248P5	Mack	R
F265865	ES2091L,10QH248P6	Mack	L
F265866	ES3225R, 18QK214	Mack	R
F265882	ES411R, 269-2234, 1649638C91	International	R
F265883	ES411L, 269-2235, 1649637C91	International	L
F265886	ES3476, 60961028, E10137	Freightliner, Inter, Peterbilt	R
F265887	ES3477, 60961027, E10138	Freightliner, Inter, Peterbilt	L
F265892	1258107, ES3274L	Kodiak	L
F265893	1258108, ES3275R	Kodiak	R





Power Steering Pumps



FortproUSA#: F255701

Replaces: V10F1P7P38D5G20, 38QC375P1

Application: Mack

Relation: Right

Power Steering Pumps



FortproUSA#: F255702

Replaces: V20F1P8P38D5H22, 38QC367P26

Application: Mack

Relation: Right

Power Steering Pumps




FortproUSA#: F255703

Replaces: 1315R/18, 3406Z07-010-A

Application: Cummins 6CT

Relation: Right











Power Steering Pumps



FortproUSA#: F255708

Replaces: 2107550, 542-0176-10

Application: Detroit S60 / CAT 3406

Relation: Left

Power Steering Pumps



FortproUSA#: F255709

Replaces: 2106721, 542-0169-10

Application: Freightliner, Inter, Kenworth

Relation: Left

Power Steering Pumps



FortproUSA#: F255710

Replaces: 2107922, 542-0191-10

Application: Inter, Cummins

Relation: Left








FortproUSA#: F255711

Replaces: 2108653, 542-0267-10

Application: Inter, Cummins, N14

Relation: Left



FortproUSA#: F255712

Replaces: 2106723, 542-0065-10

Application: Freightliner, Cummins N14

Relation: Right





Power Steering Pumps

FortproUSA#: F255713

Replaces: 2107544, 542-0320-10

Application: Cummins, 6CT, CAT 3116

Relation: Right





Power Steering Pumps



FortproUSA#: F255714

Replaces: 542-0130-10, 1663204C91

Application: International

Relation: Right



Power Steering Pumps



FortproUSA#: F255715OEM No.: 7840124Apply to: SAGINAW 7840099/7840097Nominal displace ment: 18.0ml/rMaximus Pressure: 110barHighest rotational speed: 500-3200r/minControlled flow rate: 16.0L/minFuel feed hole: Φ14Fuel discharge hole: 5/8-18UNF-2A

Direction of rotation: Right

FortproUSA#: F255716 OEM No.: EV221618L 10101S Apply to: Nominal displace ment: 23.0ml/r Maximus Pressure: 185bar Highest rotational speed: 500-3600r/min Controlled flow rate: 16.0L/min Fuel feed hole: 1-1/16-12UN-2B Fuel discharge hole: 3/4-16UNF-2B Direction of rotation: Left

270

NUALITY RECTE

FortproUSA#: F255717	
OEM No.: 1 UK 542 0273 10	

Apply to: INTERNATIONAL 1686649 C91

Nominal displace ment: 21.0ml/r

Maximus Pressure: 166bar

Highest rotational speed: 500-3600r/min

Controlled flow rate: 16.0L/min

Fuel feed hole: 1-1/16-12UN

Fuel discharge hole: 3/4-12UNF

Direction of rotation: Left

FortproUSA#: F255718

OEM No.: PS251615L102

Apply to:

Nominal displace ment: 25.0ml/r

Maximus Pressure: 150bar

Highest rotational speed: 500-3600r/min

Controlled flow rate: 16.0L/min

Fuel feed hole: 1-1/16-12UN-2B

Fuel discharge hole: 3/4-16UNF-2B

Direction of rotation: Left

FortproUSA#: F255719

OEM No.: V20F1P9P38C6G20

Apply to: VICKERS

Nominal displace ment: 29.7 ml/r

Maximus Pressure: 160 bar

Highest rotational speed: 500-3200 r/min

Controlled flow rate: 20.0 L/min

Fuel feed hole: NPT 1 1/4

Fuel discharge hole: 3/4-16UNF-2B

Direction of rotation: Right

Power Steering Pumps



Power Steering Pumps



Power Steering Pumps



271





Power Steering Pumps	FortproUSA#: F255720
	OEM No.: EV221615L 101
- 69	
	Apply to:
	Nominal displace ment: 23.0ml/r
	Maximus Pressure: 145bar
	Highest rotational speed: 500-3600r/min
	Controlled flow rate: 16.0L/min
	Fuel feed hole: 1-1/16-12UN
	Fuel discharge hole: 3/4-16UNF
	Direction of rotation: Left
Power Steering Pumps	FortproUSA#: F255721
	OEM No.: PEV1816-15R101
- @	Apply to:
	Nominal displace ment: 18.0ml/r
	Maximus Pressure: 150bar
	Highest rotational speed: 500-3600r/min
	Controlled flow rate: 16.0L/min
	Fuel feed hole: 1-1/16-12UN-2B
	Fuel discharge hole: 3/4-16UNF-2B
	Direction of rotation: Right
Power Steering Pumps	FortproUSA#: F255722
Constant of the second s	OEM No.: 2010-412-C92
and the second	Apply to:
T	Nominal displace ment: 21.0ml/r
	Maximus Pressure: 165bar
	Highest rotational speed: 500-3600r/min
	Controlled flow rate: 16.0L/min
	Fuel feed hole: 1-1/16-12UN
	Fuel discharge hole: 3/4-16UNF-2B
- <u>-</u>	Direction of rotation: Left



272

F**ORT**PRO

FortproUSA#: F255723	Power Steering Pumps
OEM No.: PS221615L116	æ
Apply to: TRW PS	
Nominal displace ment: 22.0ml/r	- COM
Maximus Pressure: 150bar	
Highest rotational speed: 500-3600r/min	111 12 12
Controlled flow rate: 16.0L/min	
Fuel feed hole: 1-1/16-12UN-2B	
Fuel discharge hole: 3/4-16UNF-2B	
Direction of rotation: Left	
FortproUSA#: F255724	Power Steering Pumps
OEM No.: 2008180C93	TAXABLE IN CONTRACTOR OF CONTO
Apply to:	
Nominal displace ment: 21ml/r	- Joh
Maximus Pressure: 163bar	
Highest rotational speed: 500-3600r/min	
Controlled flow rate: 16.0L/min	and the second se
Fuel feed hole: 1-1/16-12UN-2B	
Fuel discharge hole: 3/4-16UNF-2B	



6300 NW 84 AVE Miami, FL 33166 - USA





AIR SPRING

FortProUSA#	Replaces	Application	Notes
F245584	9780, 1R12-303	Freightliner	Plastic
F245585	9781, 1R12-603	Freightliner	Alum
F245581	9375,1R12-404, 57QL414M, 50899-002L	Mack	Vision
F245582	9466, 1R12-365, 57QL411M, 49048-002L	Mack	Early CH Models
F245583	9082, 1R12-092, 517559C9		
F245586	9270, 1R13-119		
F245587	9069, 1R12-069	Peterbilt	
F245588	9422, 1R11-028	Kenworth	
F245571	7007, 1S4-067, 227QS34B	Mack	R Models
F245572	7087, 1S5-040 (Air Cab)	Freightliner	FLD 120
F245573	7206, 18-29919-000 (Air Cab)	Freightliner	Columbia
F245574	7001, 1S4-007, 227QS33, 7002, 7031	Mack	
F245575	7017, 1S5-055, 227QS38	Mack	
F245576	1S6-025, 227QS312AM	Mack	CH Model
F245579	800-6222086001	Mack / Universal	Seat
F245590	8204, 1R12-508	Neway	Tandem
F245591	8713, 1R13-176	Hendrickson	Tandem
F245592	8755, 1R13-124	Hendrickson	Tandem
F245593	8729, 1R13-130, 202796	Meritor	Tandem
F245594	1R14-152, S-25319	Hendrickson	Granite
F245580	9875, 1R12-432	International	
F245595	9648, 1R12-538	International	
F245596	8852, 1R12-568	Peterbilt	
F245597	8829, 1R12-615	Volvo	
F245598	8708,1R13-177	Hendrickson	
F245599	9039, 1R12-095	Trailer	
F245569	9622, 1R11-221	Kenworth	
F245570	1R12-487, 9366	Trailer	
F245577	1S4-173, 227QS42M	Mack	Air Cab
F245644	6897, 2B9-229	Trailer	
F245645	554787C1, 2B12-307, 7403	Hendrickson	
F245646	7137, 554798C1, 2B14-356	Hendrickson	
F245647	7135, 554800C1, 2B14-360	Hendrickson	
F245648	7036, 1S5-186	Peterbilt	Air Cab
F245649	7064, 7075, 1S5-157	Kenworth	Air Cab
F245578	7110, 1S5-152, R81-1001	Kenworth	Air Cab
F245600	1S5-175, 18040977-000, 17205, 7207, 7215	Freightliner	Air Cab



Phone: 305-392.9974 www.fortprousa.com



SHOCK ABSORBERS

F**ORT**PRO

FortProUSA#	Replaces	Application				
F247901	83001	Cab Century				
F247902	83002	Cab Kenworth				
F247903	83003, 14QK374, 14QK376	Cab Mack				
F247904	83008	Cab Peterbilt				
F247905	83009	Cab FL, Classic, Columbia				
F247906	83019, 14QK2111, 5065	Cab Mack R Models				
F247907	83025	Cab KW, GMC, FL, PETE, INT, FORD				
F247908	83029	Cab Volvo				
F247909	83038	Cab Century, Columbia				
F247910	83041, 14QK391AM, 5055	Cab Mack CH / CL / CV / CX Models				
F247911	83123, 14QK393AM, 14QK375M, 5057	Rear HDK, MACK CH, KW, INTER, PETE, VOLVO				
F247912	83125, 14QK410M, 5071	Rear HDK, MACK, INTER, FORD, VOLVO, STER				
F247913	83209, 14QK372M2	Rear HDK, MACK, INTER, PETE, KW, VOLVO, GMC				
F247914	83215, 14QK2107P1, 5095	Rear MACK				
F247915	85000	Rear HDK, FL, KW, PETE, VOLVO				
F247916	85001, 14QK2113	Front / Rear MACK, PETE, FORD, VOLVO				
F247917	85003	Rear KW, VOLVO, INTER, PETE				
F247918	85005, 14QK392BM, 65110, 5056	Front / Rear HDK, MACK, VOLVO, STER, KW, INTER, FL, FORD, GMC, BLUE				
F247919	85006	Front / Rear HDK, VOLVO, STER, FL, FORD, BLUE				
F247920	85025	VOLVO				
F247921	85029	Front / Rear HDK, FL, INTER, BLUE				
F247922	85036, 14QK366P1, 5075	Front MACK R Models				
F247923	85052	TRAILER HDK, REYCO, SAF				
F247924	85061, 14QK431M, 14QK3114M, 20973993, 5084	Front MACK VISION / Rear VOLVO				
F247925	83147, 14QK424M, 20570098, 60670-006, 750777	Rear HDK, MACK VISION / GRANITE				
F247926	85062	Front KW, PETE, VOLVO				
F247927	85066, 14QK2136M, 20433425	Rear MACK, VOLVO				
F247928	85067	Rear KW, PETE				
F247929	85069	Front KW, PETE				
F247930	85310, 650404	Rear KW, PETE, MACK, VOLVO				
F247931	85311	Front / Rear KW, MACK, VOLVO, INTER, PETE				
F247932	85319	Rear FL, KW, MACK, PETE, VOLVO				
F247933	85320	Front FL, KW, PETE, VOLVO				
F247934	85724	Rear Freightliner				
F247935	85918	Front Freightliner				
F247936	85931	Rear INTER				
F247937	89408	GAS / KW, VOLVO, PETE				
F247938	89410, 14QK2113, 14QK2133M2, 25632145	GAS / KW, VOLVO, PETE, MACK				
F247939	89429	GAS / FL, VOLVO, KW, PETE				





TRAILER SPRINGS




FortProUSA#	Replaces	# Leaves	Arch	Wide	Length A	Length B	Pack Thick	Notes
F247950	TRA-2726	3	6"	3"	22 1/2"	23 5/8"	2 1/2"	354-00
F247951	TRA-2727	3	4 1/2"	3"	21 3/4"	22 7/8"	2 1/2"	355-00
F247952	TRA-2727HD	4	3 3/4"	3"	21 3/4"	22 7/8"	3 5/16"	
F247953	TRA-2728	3	3 5/8"	3"	21 1/4"	22 7/16"	2 1/2"	356-00
F247954	TRA-2740	3	5 1/2"	3"	22"	23 3/4"	2 15/16"	365-00
F247955	TRA-2741	3	3 1/4"	3"	21 1/2"	22 3/4"	2 15/16"	365-01
F247956	TRA-2752	2	6 1/2"	3"	22 1/2"	24"	1 15/16"	324-01
F247957	TRA-2754	2	4 1/4"	3"	21 5/8"	23 1/4"	1 15/16"	326-01
F247958	TRA-2260	8	4 15/16"	3"	21 3/8"	23 1/8"	4"	752-05
F247959	TRA-2270	8	3 5/8"	3"	21 11/16"	21 11/16	4"	T3564
F247960	TRA-2297	9	2 1/2"	3"	21 3/8"	21 3/8"	4 1/2"	T7452
F247961	TRA-2297HD	10	2 1/2"	3"	21 3/8"	21 3/8"	5"	
F247962	TRA-3340	3	5 7/8"	3"	22 1/2"	24 1/8"	2 1/2"	0079-01
F247963	TRA-3341	3	3"	3"	21"	23 3/4"	2 1/2"	54-122
F247964	TRA-021	1	4 11/16"	3"	21 7/8"	23 1/4"	1 3/8"	363-00
F247965	TRA-023	1	7 1/16"	3"	22 1/2"	24 3/16"	7 1/16"	360-00
F247966	TRA-038	1	4 1/2"	3"	21 1/2"	22 1/4"	1 5/8"	54-112
F247967	TRA-2732	8	2 3/4"	3"	20 3/4"	22 3/8"	4"	752-01






TRUCK SPRINGS



FortProUSA#	Replaces	# Leaves	Arch	Wide	Length A	Length B	Notes
F247971	62-143, 4QK4004A, 25192117	11	6 7/8"	4"	30 5/8"	28 1/4	MACK
F247972	62-147, 4QK4005A	10	6 13/16"	4"	28 5/16"	25 15/16"	MACK
F247973	62-890, 78-665	13	5"	3 1/2"	25 1/8"	30 1/2"	MACK
F247974	62-868, 2QK3323, 25060652	14	5 1/2"	3 1/2"	25 1/8"	30 1/4"	MACK



FortProUSA#	Replaces	# Leaves	Arch	Wide	Length A	Length B	Notes
F247981	50-389, 56946-000, 4QK4150M	1	11 1/2"	3"	24"	19 5/8"	MACK





HENDRICKSON



HENDRICKSON





280

SUSPENSION, ANTI-VIBRATION COMPONENTS

HENDRICKSON


Pivot Bush FortproUSA#: F184265 Replaces: C3558, C21824, S21824 0 152.40 0.6.000 Notes: Hendrickson Trailer Intraax: HKANT40K. 46K, 50K, HKA180-200-250, AA23K, 25K, 30K, AANT23K, A.AEDT30K Hendrickson 6.750 HT Air Suspensions 171.50 **Beam End Bush** FortproUSA#: F184266 Replaces: D22845, D25364 160.00 Notes: Hendrickson Intraax: HKANT40K, 46K, 50K, HKA1820-200-250, AA23K, 25K, 30K, AANT23K, **Torque Arm Bush** 0 0.630" 0 16.00 FortproUSA#: F184208 Replaces: 47691, 47691000 Notes: Hendrickson; Rear E4 Series, All 4.375 111.00 **Beam End Bush** FortproUSA#: F184005 14375 Replaces: 45900000 Notes: Hendrickson AR2 400/460/520, HN, RS, RT/RTE2 340/380/520, RU/RUE, U/UE 5.750" 340/380, SR 340, VR 340/380 Suspension 46.00

HENDRICKSON






HENDRICKSON





HENDRICKSON






HENDRICKSON




HENDRICKSON



285




HENDRICKSON




TO PECTES

HENDRICKSON





HENDRICKSON



cate that it is an OEM part. When ordering, customers have the option to order using industry references, OEM references or FortProUSA references

HENDRICKSON



289




HENDRICKSON

Bushing Kit					
AAoo	FortproUSA#: F184270				
	Replaces: S23320, S26321				
	Notes: Hendrickson Turner Trailer: Intraxx®; AAL23K, 25K, 30K, AANLS20K, AANL23K,				
	AAEDL30K, Lowride, AA230L, 250L, 300L Suspension				
Pivot Bushing Kit					
	FortproUSA#: F184273				
	Replaces: 34013103				
Pivot Bushing Kit					
	FortproUSA#: F184274				
	Replaces: 60632008, 60632020, 60682001 Notes: Hendrickson Rear: Primaax® / Firemaax®				
000	Suspension				
000					
Rebound Roller Kit					
	FortproUSA#: F184278				
	Replaces: 49399000				
	Notes: Hendrickson Rear: HN Series,				
00000 00000	All Suspension				

NOVALITA NOPECTO

290

HENDRICKSON



291



HENDRICKSON





HENDRICKSON



293




294

SUSPENSION, ANTI-VIBRATION COMPONENTS

HENDRICKSON

Bush	
0 5820 0 1175 0 1175 0 0 2820 0 0 2820	FortproUSA#: F184249 Replaces: 24504000
Torque Rod Bush	
00.656" 0 16.65 <u>4.375"</u> 111.00	FortproUSA#: F184232 Replaces: 32174000
Torque Arm Bush	
0000 000 000 00 00 00 00 00 00 00 00 00	FortproUSA#: F184250 Replaces: 44993000 Notes: Hendrickson Rear Haulmaax
Torque Arm Bush	
0 3000 0 1/12 0 1/12	FortproUSA#: F184211 Replaces: 45477000 Notes: Hendrickson Rear Haulmaax

HENDRICKSON



____295



HENDRICKSON




HENDRICKSON



RA.



FREIGHTLINER






FREIGHTLINER



299




FREIGHTLINER



Any referen cate that it i



FREIGHTLINER



301




FREIGHTLINER






FREIGHTLINER






FREIGHTLINER







FREIGHTLINER



305



FREIGHTLINER




FREIGHTLINER





FREIGHTLINER



NOUALITA ROALCTE

FREIGHTLINER






FREIGHTLINER



TOPECTED T

FREIGHTLINER



311



FREIGHTLINER



ROPECTED T

FREIGHTLINER





FREIGHTLINER

Torque Arm With Bushing FortproUSA#: F317226 Replaces: 16-10420-000 Notes: 16-10420-1, O.D.= 1-9/16" CTOC= 18-3/16" Kit, Bar Pin Bushing FortproUSA#: F317229 Replaces: 681-326-6716 Notes: CTOC= 23-15/16" **Torque Arm Bush** FortproUSA#: F317230 Replaces: 681-326-6316 Notes: CTOC= 23" **Spring Eye Bush** FortproUSA#: F317231 Replaces: 16-11890-001



Any reference to OEM names or OEM product identification numbers/descriptions/pictures/model numbers is for identification only and does not indicate that it is an OEM part. When ordering, customers have the option to order using industry references, OEM references or FortProUSA references.

Notes: E8795, W = 2", THK= 1", CTOC= 5-5/16"



FREIGHTLINER



315



KENWORTH



TASPECTE



KENWORTH



317




KENWORTH





KENWORTH



319




KENWORTH



AUALIPA TOPECTE




KENWORTH






KENWORTH




AUALITA ROBALCITA

KENWORTH






KENWORTH





KENWORTH







KENWORTH







KENWORTH



Any reference to OEM names or OEM product identification numbers/descriptions/pictures/model numbers is for identification only and does not indicate that it is an OEM part. When ordering, customers have the option to order using industry references, OEM references or FortProUSA references.


RA.



KENWORTH


Beam Bushing Kit	
FortproUSA#: F327330 Replaces: K066-449	
	FortproUSA#: F327330
	Replaces: K066-449








PETERBILT







PETERBILT





AUALIFA RSAECTE

Any reference to OEM names or OEM product identification numbers/descriptions/pictures/model numbers is for identification only and does not indicate that it is an OEM part. When ordering, customers have the option to order using industry references, OEM references or FortProUSA references.


2,000"

51.00

0.750




PETERBILT



TUS PECKE




PETERBILT



E SUALIFA



PETERBILT






PETERBILT



OVALITA



INTERNATIONAL



335




INTERNATIONAL



NALIFA TOPECTED




INTERNATIONAL





INTERNATIONAL



NOUALITA ROALCTE



INTERNATIONAL





INTERNATIONAL





INTERNATIONAL





INTERNATIONAL




342


INTERNATIONAL






INTERNATIONAL





Torque Arm Bush



FortproUSA#: F306976

Replaces: 57256000

Notes: International Navistar Rear Z 3 1/2" Air Spring 78 01 Suspension



INTERNATIONAL



Any reference to OEM names or OEM product identification numbers/descriptions/pictures/model numbers is for identification only and does not indicate that it is an OEM part. When ordering, customers have the option to order using industry references, OEM references or FortProUSA references.

RA.



DETROIT

Oil Pan Grommet Kit



FortproUSA#: F051890

Replaces: DE23522281, M23771

Notes: Detroit 60 Series

Isolator Assembly



FortproUSA#: F051891

Replaces: 23530961

Notes: Detroit Diesel

Valve Cover Grommet Kit



FortproUSA#: F051892


Replaces: 23522271, M23771

Notes: Detroit Diesel Series 60 Engine

346



FORD



347



MACK

Cabin Mount



FortproUSA#: F245621

Replaces: 20QL250, M17529

Notes: Mack Upper CAB Application

Insulator



FortproUSA#: F245620

Replaces: 20QL1144

Notes: Metal Top

Cabin Mount Assembly



FortproUSA#: F245624

Replaces: 30QS3373M, 30QS34279M, 30QS3479AM, M17530

Notes: Mack CH Series Trucks

Insulator



FortproUSA#: F113101

Replaces: 20QL324M, 20QL346M, M2

Notes: Mack Superliner Trucks



348




MACK





MACK






MACK



RA.




MACK





MACK






MACK







MACK



355




MACK





MACK



357



MACK





MACK



TA.



MACK

Brushing (Bronze) 44,000 Lbs FortproUSA#: F174050 Replaces: 10QK157, 10QK255 Notes: 3.500" x 3.437" Washer, Thrust (Bronze) FortproUSA#: F174051 Replaces: 43QK116A, 35AX688 Notes: I.D. 3.5000" O.D. 5.250" Washer, Trust (Steel) FortproUSA#: F174052 Replaces: 43QK117 Notes: I.D. 3.500" O.D. 5.375" Washer, Lock FortproUSA#: F174053 Replaces: 23QJ112B Notes: I.D. 3.312" O.D. 4.875" 360






MACK





MACK





MACK





MACK



MACK



Any reference to OEM names or OEM product identification numbers/descriptions/pictures/model numbers is for identification only and does not indicate that it is an OEM part. When ordering, customers have the option to order using industry references, OEM references or FortProUSA references.

(A



MACK





MACK






TA.



VOLVO




NOUNLIFA ROALD

368



VOLVO




369



VOLVO









VOLVO






VOLVO







VOLVO



373



HUTCH





HUTCH



375

A?



HUTCH

Torque Arm Nut FortproUSA#: F296714 Replaces: 10562-00 Notes: 1" -14 TPI **Torque Rods** FortproUSA#: F296709 Notes: 713-05 (Adjust) **Torque Rods** FortproUSA#: F296710 Notes: 715-00 (Rigid) **Center Hanger** FortproUSA#: F296719 Replaces: 16171-01 Notes: H9700 376





HUTCH





HUTCH







REYCO



379

The second



REYCO

Torque Arm Bushing Kit



FortproUSA#: F214526

Replaces: TK19089

Notes: E1983

Center Hanger



FortproUSA#: F214505

Replaces: T5564

Notes: Undermount

Front Hanger Rh



FortproUSA#: F214506

Replaces: T5562

Notes: Undermount

Front Hanger Lh



FortproUSA#: F214507

Replaces: T5563

Notes: Undermount





REYCO



Any reference to OEM names or OEM product identification numbers/descriptions/pictures/model numbers is for identification only and does not indicate that it is an OEM part. When ordering, customers have the option to order using industry references, OEM references or FortProUSA references.

RA.



382


SUSPENSION, ANTI-VIBRATION COMPONENTS

REYCO

FortproUSA#: F214527 Replaces: T5888, 1424701 Notes: 3/8" Length Equalizer Washer FortproUSA#: F214528 Replaces: T5887, 142901 Notes: 1.D. 13/16" O.D. 3-3/4" Equalizer Lock Washer FortproUSA#: F214529 Replaces: T3164, 142501 Notes: 1.D. 13/16" Equalizer Lock Screw FortproUSA#: F214529 Replaces: T3164, 142501 Netes: 1.D. 13/16"					
Notes: 3/8" Length Equalizer Washer FortproUSA#: F214528 Replaces: T5887, 142901 Notes: I.D. 13/16" O.D. 3-3/4" Equalizer Lock Washer FortproUSA#: F214529 Replaces: T3164, 142501 Notes: I.D. 13/16" Equalizer Lock Screw		FortproUSA#: F214527			
Equalizer Washer Image: FortproUSA#: F214528 Replaces: T5887, 142901 Notes: I.D. 13/16" O.D. 3-3/4" Equalizer Lock Washer Image: FortproUSA#: F214529 Replaces: T3164, 142501 Notes: I.D. 13/16" Equalizer Lock Screw Image: FortproUSA#: F214530 Replaces: T5886, 1424801	and a strain part with the strain development of the strain the strain of the strain o	Replaces: T5888, 1424701			
FortproUSA#: F214528 Replaces: T5887, 142901 Notes: I.D. 13/16" O.D. 3-3/4" Equalizer Lock Washer FortproUSA#: F214529 Replaces: T3164, 142501 Notes: I.D. 13/16" Equalizer Lock Screw FortproUSA#: F214529 Replaces: T3164, 142501 Notes: I.D. 13/16"		Notes: 3/8" Length			
FortproUSA#: F214528 Replaces: T5887, 142901 Notes: I.D. 13/16" O.D. 3-3/4" Equalizer Lock Washer FortproUSA#: F214529 Replaces: T3164, 142501 Notes: I.D. 13/16" Equalizer Lock Screw FortproUSA#: F214529 Replaces: T3164, 142501 Notes: I.D. 13/16"					
Replaces: T5887, 142901 Notes: I.D. 13/16" O.D. 3-3/4" Equalizer Lock Washer Image: FortproUSA#: F214529 Replaces: T3164, 142501 Notes: I.D. 13/16" Equalizer Lock Screw	Equalizer Washer				
Replaces: T5887, 142901 Notes: I.D. 13/16" O.D. 3-3/4" Equalizer Lock Washer Image: FortproUSA#: F214529 Replaces: T3164, 142501 Notes: I.D. 13/16" Equalizer Lock Screw					
Notes: I.D. 13/16" O.D. 3-3/4" Equalizer Lock Washer FortproUSA#: F214529 Replaces: T3164, 142501 Notes: I.D. 13/16" Equalizer Lock Screw FortproUSA#: F214530 Replaces: T5886, 1424801		FortproUSA#: F214528			
Equalizer Lock Washer FortproUSA#: F214529 Replaces: T3164, 142501 Notes: I.D. 13/16" Equalizer Lock Screw FortproUSA#: F214530 FortproUSA#: F214530 Equalizer Lock Screw FortproUSA#: F214530 Replaces: T5886, 1424801		Replaces: T5887, 142901			
FortproUSA#: F214529 Replaces: T3164, 142501 Notes: I.D. 13/16" Equalizer Lock Screw FortproUSA#: F214530 Replaces: T5886, 1424801		Notes: I.D. 13/16" O.D. 3-3/4"			
FortproUSA#: F214529 Replaces: T3164, 142501 Notes: I.D. 13/16" Equalizer Lock Screw FortproUSA#: F214530 Replaces: T5886, 1424801					
Replaces: T3164, 142501 Notes: I.D. 13/16" Equalizer Lock Screw FortproUSA#: F214530 Replaces: T5886, 1424801	Equalizer Lock Washer				
Replaces: T3164, 142501 Notes: I.D. 13/16" Equalizer Lock Screw FortproUSA#: F214530 Replaces: T5886, 1424801					
Notes: I.D. 13/16" Equalizer Lock Screw FortproUSA#: F214530 Replaces: T5886, 1424801		FortproUSA#: F214529			
Equalizer Lock Screw FortproUSA#: F214530 Replaces: T5886, 1424801		Replaces: T3164, 142501			
FortproUSA#: F214530 Replaces: T5886, 1424801		Notes: I.D. 13/16"			
FortproUSA#: F214530 Replaces: T5886, 1424801					
Replaces: T5886, 1424801	Equalizer Lock Screw				
Replaces: T5886, 1424801	•				
		FortproUSA#: F214530			
Notes: 2-1/2" Length		Replaces: T5886, 1424801			
		Notes: 2-1/2" Length			



REYCO




Any reference to OEM names or OEM product identification numbers/descriptions/pictures/model numbers is for identification only and does not indicate that it is an OEM part. When ordering, customers have the option to order using industry references, OEM references or FortProUSA references.

A?



REYCO











FRUEHAUF





FRUEHAUF







=ORTPRC


TORQUE RODS



FortProUSA#	Туре	Brand	Replaces	Length	Bush Angle	Bush 1	Bush 2	Bare Rod
F327340	1	Kenworth	K195375, 944270	24.000"	0°&0°	10.060	10.060	120.026
F327341	2	Kenworth	K195376, 925031	24.000"	0° & 15°	10.060	10.061	120.026
F327342	1	Kenworth	925150	25.000"	0°&0°	10.069	10.069	120.030
F306910	1	International, Navistar	493920C1	18.125"	0° & 15°	10.060	10.060	120.007
F346926	1	Peterbilt	0304119, 924170	17.373"	0° & 15°	10.060	10.060	-
F346927	1	Peterbilt	0302439	22.875"	0°&0°	10.060	10.060	120.024
F346928	1	Peterbilt	0304839	19.250"	0° & 15°	10.060	10.060	-
F346929	1	Peterbilt	0304327, 924175	17.343"	10°&0°	10.060	10.097	120.005
F317226	1	Freightliner	1610420001, IPC927180	18.187"	90° & 45°	10.055	10.055	-
F317225	1	Freightliner	6813266716, 1616749001	24.000"	90° & 45°	10.055	10.055	-
F317290	1	Freightliner	6813266316, 1616749000	23.000"	90° & 35°	10.055	10.055	-
F317227	1	Freightliner	1613053000	16.625"	90° & 90°	10.055	10.055	-
F306911	1	International, Navistar	-	18.125"	15° & 15°	10.055	10.055	-
F306923	1	International, Navistar	493921C1	21.696"	15° & 15°	10.055	10.055	-
F349530	1	Peterbilt	0305849, 942970	18.500"	90° & 0°	10.055	680.022.2	-
F317223	1	Freightliner	1615632001	24.000"	90° & 45°	10.084	10.084	120.026
F306912	1	International, Navistar	358088C1, 3548381C1, 501565C2, 4C4Z4612AA, 7M919	25.500"	90° & 90°	10.084	10.084	580.030.1



SHIFTER BOOTS







SHIFTER BOOTS



389



SHIFTER BOOTS





PRO

SHIFTER BOOTS



SA.

